

Message

From: Lyke, Jennifer [Lyke.Jennifer@epa.gov]
Sent: 9/24/2018 2:41:40 PM
To: Moore, Gary [Moore.Gary@epa.gov]
Subject: Re: F.J. Doyle Salvage (Urgent)

Emily Hall 512/776-2652

Sent from my iPhone

On Sep 24, 2018, at 9:14 AM, Moore, Gary <Moore.Gary@epa.gov> wrote:

Jennifer:

I need the direct contact numbers for DSHS. I don't know who is in charge anymore since I think Tom Ellerbee and Carrie Bradford are both gone.

Thanks
Gary Moore

From: Lyke, Jennifer
Sent: Sunday, September 23, 2018 10:22 PM
To: Moore, Gary <Moore.Gary@epa.gov>
Subject: Re: F.J. Doyle Salvage (Urgent)

I have shared this with DSHS and asked that they assist.

Sent from my iPhone

On Sep 22, 2018, at 11:43 AM, Moore, Gary <Moore.Gary@epa.gov> wrote:

Jennifer:

I will need a DSHS Health Professional to help the Leonard ISD craft a health message associated with the PCB contamination. Especially the non-actionable PCB detections on the daycare center. Please have someone with DSHS get in touch with me to discuss and so that I can get the information to the LISD Superintendent.

The contacts with the school are:

Brad Maxwell (LISD Superintendent): maxwellb@leonardisd.net 903.587.2318
Jeff Johnson (LISD Asst. Superintendent): jjohnson@leonardisd.net 903.587.2318 ext. 404

Thanks

Gary W. Moore (6SF-ER)
Federal On-Scene Coordinator
U.S EPA Region 6
1445 Ross Ave, Suite 1200
Dallas, TX 75202-2733
Cell: 214.789.1627

moore.gary@epa.gov